

# Meliseptol rapid

## Safety Data Sheet

according to UK REACH Regulation

Issue date: 19/01/2023

Revision date: 19/01/2023

Supersedes: 30/12/2020

Version: 3.1

SDS No: 00056-0191

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Product name : Meliseptol rapid

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Use of the substance/mixture : Fast acting alcoholic disinfectant for small surfaces / for medical devices

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

##### Manufacturer

B. Braun Medical AG  
Seesatz 17  
CH-6204 Sempach - Switzerland  
T +41 (0) 58 / 258 50 00  
[info.bbmch@bbraun.com](mailto:info.bbmch@bbraun.com)

E-mail address of competent person responsible for the SDS: [sds@gbk-ingelheim.de](mailto:sds@gbk-ingelheim.de)

##### Supplier

B. Braun Medical Ltd.  
Thornccliffe Park Estate, Brookdale Road  
Sheffield S35 2PW, UK - Medical Information Department  
T +44 (0)114 225 9000  
[medinfo.bbmuk@bbraun.com](mailto:medinfo.bbmuk@bbraun.com)

#### 1.4. Emergency telephone number

Emergency number : INTERNATIONAL: +49 - (0) 6132 - 84463, GBK GmbH (24h - 7d/w - 365d/a)  
In England and Wales: NHS 111 In Scotland: NHS 24 - dial 111

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to GB CLP Regulation

Flammable liquids, Category 3	H226
Serious eye damage/eye irritation, Category 1	H318
Specific target organ toxicity – Single exposure, Category 3, Narcosis	H336

Full text of H- and EUH-statements: see section 16

##### Adverse physicochemical, human health and environmental effects

Flammable liquid and vapour. May cause drowsiness or dizziness. Causes serious eye damage.

#### 2.2. Label elements

##### Labelling according to GB CLP Regulation

Hazard pictograms (CLP)



Signal word (CLP)

: Danger

Hazard statements (CLP)

: H226 - Flammable liquid and vapour.  
H318 - Causes serious eye damage.  
H336 - May cause drowsiness or dizziness.

# Meliseptol rapid

## Safety Data Sheet

according to UK REACH Regulation  
SDS No: 00056-0191

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P261 - Avoid breathing vapours.  
P280 - Wear eye protection.  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 - Immediately call a POISON CENTER, a doctor.  
P501 - Dispose of contents and container to an approved waste disposal plant.

Labelling according to: exemption for packages of a capacity of 125ml or less

Hazard pictograms (CLP) :



GHS02

GHS05

GHS07

Signal word (CLP) : Danger  
Hazard statements (CLP) : H318 - Causes serious eye damage.  
Precautionary statements (CLP) : P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 - Immediately call a POISON CENTER, a doctor.

Labelling according to: exemption for packages of a capacity of 125ml or less

Hazard pictograms (CLP) :



GHS02

GHS05

GHS07

Signal word (CLP) : Danger  
Hazard statements (CLP) : H318 - Causes serious eye damage.  
Precautionary statements (CLP) : P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 - Immediately call a POISON CENTER, a doctor.

### 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII  
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII  
Contains no PBT/vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Comments : Alcoholic solution

Name	Product identifier	%	Classification according to GB CLP Regulation
Propan-1-ol	(CAS-No.) 71-23-8 (EC-No.) 200-746-9 (EC Index-No.) 603-003-00-0 (REACH-no) 01-2119486761-29	50	Flam. Liq. 2, H225 Eye Dam. 1, H318 STOT SE 3, H336

# Meliseptol rapid

## Safety Data Sheet

according to UK REACH Regulation

SDS No: 00056-0191



Didecyldimethylammonium chloride	(CAS-No.) 7173-51-5 (EC-No.) 230-525-2 (EC Index-No.) 612-131-00-6 (REACH-no) 01-2119945987-15	≥ 0.05 – < 0.1	Acute Tox. 3 (Oral), H301 Skin Corr. 1B, H314 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 2, H411
----------------------------------	---	----------------	---

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general	: Data of item 4 do partly not refer to the use and the regular employing of the product (in this sense consult package leaflet and expert information), but to liberation of major amounts in case of accidents and irregularities. Take off immediately all contaminated clothing. Call a poison center or a doctor if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If you feel unwell, seek medical advice.
First-aid measures after skin contact	: Wash with water and soap as a precaution. Get medical advice if skin irritation persists.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an eye specialist.
First-aid measures after ingestion	: Rinse mouth out with water. Immediately give plenty of water. Never give anything by mouth to an unconscious person. Call a physician immediately. Do not induce vomiting without medical advice.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: May cause drowsiness or dizziness.
Symptoms/effects after eye contact	: Serious damage to eyes.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Alcohol resistant foam. Carbon dioxide.
Unsuitable extinguishing media	: high volume water jet.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard	: Flammable liquid and vapour.
Explosion hazard	: Product is not explosive. Explosive vapour/air mixtures may be formed.
Hazardous decomposition products in case of fire	: Carbon oxides (CO, CO <sub>2</sub> ). Nitrous gasses. Chlorine compounds.

### 5.3. Advice for firefighters

Precautionary measures fire	: Eliminate all ignition sources if safe to do so. Cool endangered containers with water spray jet.
Firefighting instructions	: Fight fire from safe distance and protected location.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
Other information	: Vapours are heavier than air and may spread along floors. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Remove ignition sources.
------------------	----------------------------

# Meliseptol rapid

## Safety Data Sheet

according to UK REACH Regulation  
SDS No: 00056-0191



### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing vapours. Avoid contact with skin and eyes.

### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

## 6.2. Environmental precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

## 6.3. Methods and material for containment and cleaning up

For containment : Dike and contain spill.  
Methods for cleaning up : Take up liquid spill into absorbent material, e.g.: sand, earth, vermiculite. Notify authorities if product enters sewers or public waters.  
Other information : Dispose of materials or solid residues at an authorized site.

## 6.4. Reference to other sections

Refer to protective measures listed in sections 7 and 8. For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Use only outdoors or in a well-ventilated area. Avoid breathing vapours. Avoid contact with skin and eyes.  
Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment.  
Storage conditions : Keep container tightly closed in a dry, cool and well-ventilated place.  
Incompatible materials : alkali metals. alkaline earth metals. oxidizing materials.  
Information on mixed storage : Keep away from food, drink and animal feeding stuffs.

### 7.3. Specific end use(s)

See Section 1.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Propan-1-ol (71-23-8)	
United Kingdom - Occupational Exposure Limits	
Local name	Propan-1-ol
WEL TWA (OEL TWA) [1]	500 mg/m <sup>3</sup>
WEL TWA (OEL TWA) [2]	200 ppm
WEL STEL (OEL STEL)	625 mg/m <sup>3</sup>
WEL STEL (OEL STEL) [ppm]	250 ppm
Remark	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)

# Meliseptol rapid

## Safety Data Sheet

according to UK REACH Regulation

SDS No: 00056-0191



Propan-1-ol (71-23-8)	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

Monitoring methods	
Monitoring methods	A specific exposure sampling method is not available
Biological monitoring methods	A specific exposure sampling method is not available

Propan-1-ol (71-23-8)	
DNEL/DMEL (Workers)	
Acute - local effects, inhalation	1723 mg/m <sup>3</sup>
Long-term - systemic effects, dermal	136 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	268 mg/m <sup>3</sup>
DNEL/DMEL (General population)	
Acute - local effects, inhalation	1036 mg/m <sup>3</sup>
Long-term - systemic effects, oral	61 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	80 mg/m <sup>3</sup>
Long-term - systemic effects, dermal	81 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	10 mg/l
PNEC aqua (marine water)	1 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	22.8 mg/kg dwt
PNEC sediment (marine water)	2.28 mg/kg dwt
PNEC (Soil)	
PNEC soil	2.2 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	96 mg/l

## 8.2. Exposure controls

### Appropriate engineering controls:

Ensure good ventilation of the work station.

### Personal protective equipment:

Data of item 8 do partly not refer to the use and the regular employing of the product (in this sense consult package leaflet and expert information), but to liberation of major amounts in case of accidents and irregularities.

### Hand protection:

This recommendation refers exclusively to the chemical compatibility and the lab test conforming to EN 374 carried out under lab conditions. Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves

Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Chemically resistant protective gloves	Nitrile rubber	6 (> 480 minutes)	0,4		EN ISO 374

# Meliseptol rapid

## Safety Data Sheet

according to UK REACH Regulation

SDS No: 00056-0191



### Eye protection:

Eyewash bottle with clean water (EN 15154)

Type	Field of application	Characteristics	Standard
Protective goggles (EN 166)	Liquid splashes may occur		EN 166

### Respiratory protection:

No personal breathing protective equipment is normally required

Device	Filter type	Condition	Standard
Respiratory protective device with a gas filter	Type A - High-boiling (>65 °C) organic compounds	In the event of insufficient ventilation:	EN 14387

### Environmental exposure controls:

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Liquid.
Colour	: Colourless.
Odour	: alcoholic.
Odour threshold	: $\geq$ mg/m <sup>3</sup>
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: -127 °C propan-1-ol
Freezing point	: No data available
Boiling point	: 97 °C propan-1-ol
Flash point	: 31 °C DIN 51755
Auto-ignition temperature	: 400 °C propan-1-ol
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: 28.2 hPa propan-1-ol
Relative vapour density at 20°C	: No data available
Relative density	: No data available
Density	: 0.9 – 0.92 g/cm <sup>3</sup>
Solubility	: Miscible with water.
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: Product is not explosive. Explosive vapour/air mixtures may be formed.
Oxidising properties	: Not oxidising.
Explosive limits	: No data available

### 9.2. Other information

VOC content	: 50 %
Additional information	: Solvent content 50 %

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Flammable liquid and vapour.

# Meliseptol rapid

## Safety Data Sheet

according to UK REACH Regulation  
SDS No: 00056-0191



### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Reacts with: alkaline earth metals. alkali metals. oxidizing materials.

### 10.4. Conditions to avoid

Vapour/air-mixtures are explosive at intense warming. Heating can release vapours which can be ignited.

### 10.5. Incompatible materials

alkali metals. alkaline earth metals. Oxidizing agent.

### 10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met)  
Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)  
Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met)

#### Propan-1-ol (71-23-8)

LD50 oral rat	> 8000 mg/kg
LD50 dermal rabbit	4032 mg/kg
LC50 Inhalation - Rat	> 33 mg/l 4 h

#### Didecyldimethylammonium chloride (7173-51-5)

LD50 oral rat	238 mg/kg (OECD 401 method)
LD50 dermal rabbit	3342 mg/kg

Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met)  
Serious eye damage/irritation : Causes serious eye damage.  
Respiratory or skin sensitisation : Not classified (Based on available data, the classification criteria are not met)  
Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met)  
Carcinogenicity : Not classified (Based on available data, the classification criteria are not met)  
  
Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met)  
  
STOT-single exposure : May cause drowsiness or dizziness.  
  
STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)  
  
Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)  
  
Potential adverse human health effects and symptoms : Repeated or prolonged exposure may cause skin irritation and dermatitis, due to degreasing properties of the product. At high concentrations, the vapours may cause narcosis.

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : No ecotoxicological data about this product are known.

# Meliseptol rapid

## Safety Data Sheet

according to UK REACH Regulation

SDS No: 00056-0191



Hazardous to the aquatic environment, short-term (acute) : Not classified (Based on available data, the classification criteria are not met)

Hazardous to the aquatic environment, long-term (chronic) : Not classified (Based on available data, the classification criteria are not met)

Propan-1-ol (71-23-8)	
LC50 fish 1	4555 mg/l 96 h, Pimephales promelas
EC50 Daphnia 1	3644 ml/l 48 h, Daphnia magna
NOEC chronic crustacea	> 100 mg/l 21 d, Daphnia magna
NOEC chronic algae	1150 mg/l 2 d, Chlorella sp.

Didecyldimethylammonium chloride (7173-51-5)	
LC50 fish 1	0.19 mg/l Pimephales promelas, 96 h, [US-EPA]
EC50 Daphnia 1	0.062 mg/l Daphnia magna (Water flea), 48 h, [EPA-FIRA]
ErC50 algae	0.026 mg/l Pseudokirchneriella subcapitata (OECD 201 method)
NOEC chronic fish	0.032 mg/l Brachydanio rerio (zebra-fish) (OECD 210 method) [34 d]
NOEC chronic crustacea	0.014 mg/l Daphnia magna (Water flea) [21 d]

### 12.2. Persistence and degradability

Meliseptol rapid	
Persistence and degradability	The surfactant(s) contained in this preparation complies (comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Propan-1-ol (71-23-8)	
BOD (% of ThOD)	75 % ThOD 20 d

Didecyldimethylammonium chloride (7173-51-5)	
Persistence and degradability	Readily biodegradable.
Biodegradation	72 % 28 d, (OECD 301B method)

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

Meliseptol rapid	
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII	
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	

### 12.6. Other adverse effects

Other adverse effects : Slightly hazardous to water.  
Additional information : Prevent entry to sewers and public waters



# Meliseptol rapid

## Safety Data Sheet

according to UK REACH Regulation  
SDS No: 00056-0191

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

- Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions. Can be incinerated according to local regulations. Recycling is preferred to disposal or incineration.
- Product/Packaging disposal recommendations : Empty containers should be taken for local recycling, recovery or waste disposal. Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse. Packaging that cannot be cleaned should be disposed of like the product.
- European List of Waste (LoW) code : 07 06 04\* - other organic solvents, washing liquids and mother liquors

### SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number</b>				
UN 1274	UN 1274	UN 1274	UN 1274	UN 1274
<b>14.2. UN proper shipping name</b>				
N-PROPANOL (PROPYL ALCOHOL, NORMAL) (SOLUTION)	n-PROPANOL (PROPYL ALCOHOL, NORMAL) (SOLUTION)	n-Propanol (SOLUTION)	n-PROPANOL (PROPYL ALCOHOL, NORMAL) (SOLUTION)	n-PROPANOL (PROPYL ALCOHOL, NORMAL) (SOLUTION)
<b>Transport document description</b>				
UN 1274 N-PROPANOL (PROPYL ALCOHOL, NORMAL) (SOLUTION), 3, III, (D/E)	UN 1274 n-PROPANOL (PROPYL ALCOHOL, NORMAL) (SOLUTION), 3, III (23°C c.c.)	UN 1274 n-Propanol (SOLUTION), 3, III	UN 1274 n-PROPANOL (PROPYL ALCOHOL, NORMAL) (SOLUTION), 3, III	UN 1274 n-PROPANOL (PROPYL ALCOHOL, NORMAL) (SOLUTION), 3, III
<b>14.3. Transport hazard class(es)</b>				
3	3	3	3	3
<b>14.4. Packing group</b>				
III	III	III	III	III
<b>14.5. Environmental hazards</b>				
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No
No supplementary information available				

#### 14.6. Special precautions for user

##### Overland transport



- Classification code (ADR) : F1  
Limited quantities (ADR) : 5I  
Excepted quantities (ADR) : E1  
Packing instructions (ADR) : P001, IBC03, LP01, R001  
Mixed packing provisions (ADR) : MP19  
Transport category (ADR) : 3

# Meliseptol rapid

## Safety Data Sheet

according to UK REACH Regulation

SDS No: 00056-0191

Hazard identification number (Kemler No.)	: 30
Orange plates	:  
Tunnel restriction code (ADR)	: D/E
EAC code	: •2Y
<b>Transport by sea</b>	
Special provisions (IMDG)	: 223
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P001, LP01
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T2
Tank special provisions (IMDG)	: TP1
EmS-No. (Fire)	: F-E
EmS-No. (Spillage)	: S-D
Stowage category (IMDG)	: A
Flash point (IMDG)	: 23°C to 26°C c.c.
<b>Air transport</b>	
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y344
PCA limited quantity max net quantity (IATA)	: 10L
PCA packing instructions (IATA)	: 355
PCA max net quantity (IATA)	: 60L
CAO packing instructions (IATA)	: 366
CAO max net quantity (IATA)	: 220L
Special provisions (IATA)	: A3
ERG code (IATA)	: 3L
<b>Inland waterway transport</b>	
Classification code (ADN)	: F1
Limited quantities (ADN)	: 5 L
Excepted quantities (ADN)	: E1
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01
Number of blue cones/lights (ADN)	: 0
<b>Rail transport</b>	
Classification code (RID)	: F1
Limited quantities (RID)	: 5L
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P001, IBC03, LP01, R001
Transport category (RID)	: 3
Hazard identification number (RID)	: 30

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

Contains no substance(s) listed on the REACH Candidate List

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

Contains substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals):

Didecyldimethylammonium chloride (7173-51-5)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

# Meliseptol rapid

## Safety Data Sheet

according to UK REACH Regulation

SDS No: 00056-0191



VOC content : 50 %

### Directive 2012/18/EU (SEVESO III)

Seveso III Part I (Categories of dangerous substances)	Qualifying quantity (tonnes)	
	Lower-tier	Upper-tier
P5c FLAMMABLE LIQUIDS Flammable liquids, Categories 2 or 3 not covered by P5a and P5b	5000	50000

#### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

#### Indication of changes:

All chapters have been modified since the previous version.

#### Abbreviations and acronyms:

ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
DOT	Department of Transport
TDG	Transportation of Dangerous Goods
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
GHS	Globally Harmonized System of Classification, Labelling and Packaging of Chemicals
IARC	International Agency for Research on Cancer
vPvB	Very Persistent and Very Bioaccumulative
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
CAS	CAS (Chemical Abstracts Service) number
IBC-Code	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
ATE	Acute Toxicity Estimate
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
BCF	Bioconcentration factor
MARPOL 73/78	MARPOL 73/78: International Convention for the Prevention of Pollution From Ships
ADG	Transport of Australian Dangerous Goods

# Meliseptol rapid

## Safety Data Sheet

according to UK REACH Regulation

SDS No: 00056-0191



Other information : Data of sections 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities. The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge. The delivery specifications are contained in the corresponding product sheet. This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

Full text of H- and EUH-statements:	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis

Classification and procedure used to derive the classification for mixtures according to GB CLP Regulation		
Flam. Liq. 3	H226	On basis of test data
Eye Dam. 1	H318	Calculation method
STOT SE 3	H336	Calculation method

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should therefore not be construed as guaranteeing any specific property of the product.